

# SEAMLESS FLEET MAINTENANCE STARTS WITH GATES

Gates is one of the largest OE parts manufacturers and partners with vehicle makers in the design of OE systems. Gates replacement parts will fit and perform just like the original, or even better. Our extensive heavy-duty experience helps keep your fleet on the road for the long haul.

#### **COVERAGE**

With the widest coverage of any aftermarket supplier, Gates has the parts you need, when you need them.

# PROBLEM SOLVER KITS

Gates offers special kits with improved components that solve problems inherent in some OE designs. These kits provide the same OE fit and function, but with significantly improved longevity.

# EVERYTHING YOU NEED FOR YOUR FLEET

- FleetRunner™ Belts
- Heavy-Duty Tensioners & Pulleys
- Gates Complete<sup>™</sup> FleetRunner<sup>™</sup> Serpentine Kits
- Heavy-Duty Coolant hose
- FleetRunner™ Hi-Temp Hose
- FleetRunner™ Silicone Hose
- Heavy-Duty Brake Hose
- PowerGrip<sup>™</sup> SB (Shrink Band) Clamps
- Heavy-Duty Water Pumps
- Turbocharger Hose
- Heavy-Duty Thermostats
- Polarseal™ A/C Hose
- Hydraulic Hose & Fittings

# **GATES HAS YOUR HEAVY-DUTY PRODUCT NEEDS COVERED**

All parts in a system are engineered to work in concert and wear at about the same rate. Complete a full repair by inspecting and replacing all components at the same time to ensure proper system function.

## TURBOCHARGER

RING RETAINED TURBOCHARGER HOSE, MADE FOR TURBOCHARGED CLASS 8 AND HEAVY-DUTY DIESEL ENGINES



- Multi-hump design isolates vibration and absorbs rotational shock
- Engineered with three or four rings to maintain design integrity
- Four-layer silicone construction with aramid fibre reinforcement for maximum durability
- Meets or exceeds OEM specifications



# SPRINTER" TURBOCHARGER HOSES & ASSEMBLIES

- Multi-layer construction with inner aramid reinforcement for maximum durability and strength
  - OE exact couplings and materials; including mounting
- Hoses handle high temperatures and resist oil permeation

## **ABDS SYSTEM**



#### FLEETRUNNER™ HEAVY-DUTY BELTS

- Micro-V® and V-Belts designed for the toughest applications
- Lowest cost-per-mile belt on the market More than twice the service life on problem drives compared to any other heavy-duty belt - including OF
- Patented blend of elastomers retain flexibility under high operating temperatures



#### **HEAVY-DUTY PULLEYS**

- Expanded coverage on OE Exact program
- Includes bolts, washers and all OE hardware
- Saves technician valuable time
- OE exact fit but at a lower price!
- Better than OE performance HD bearings and product redesign to solve
- Increase customer satisfaction

poor performance



#### GATES COMPLETE™ FLEETRUNNER™ SERPENTINE KITS

- Bundled for specific applications
- Kits come with all parts as required FleetRunner™ Micro-V® belt
  - DriveAlign<sup>-</sup> Tensioner(s) ■ DriveAlign<sup>-</sup> Idler Pulleys
  - Tensioner bolts



#### **HEAVY-DUTY TENSIONERS**

- Patented technology for problem applications More than twice the service life on problem drives compared to any other heavy-duty
- tensioners- including OE Superior load-carrying capability

## **AIR CONDITIONING**



#### POLARSEAL™ II HOSE

- Low permeation and moisture ingression
- Used by more OEMs around the globe than any other refrigerant hose construction Proprietary polyamide barrier and exceptional
- Cover is heat, moisture, and ozone resistant Meets or exceeds SAF J3062 Type C. Class I
- Compatible for use with numerous vehicular AC refrigerants and oils



#### POLARSEAL™ II A/C BARRIER HOSE

- Suited for hard-to service apps, long hose runs, and field repairs
- Utilises specifically-designed hand tools
- Attaches fittings AFTER hoses are in place



# POLARSEAL™ II CLAMP ASSORTMENT

- Simplicity, versatility and coverage in one convenient kit
- Install A/C Hose Assemblies in field without heavy crimping equipment

Gates // MXG™ 4K XTP

# **BRAKE HOSE**



#### GREEN STRIPE™ VACUUM **BRAKE HOSE**

- Extra heavy-duty hose designed to fit most air brake systems on trucks, trailers and other heavy equipment
- Wrapped hose construction with multiple plies of rubber-impregnated fabric
- Resists collapsing or deforming even under high vacuum at elevated temperatures
- Rated at 30 In./Hg
- Exceeds SAE J1403, Type H. Complies with DOT FMVSS 106VH
- Temperature rating: -40°C to +125°C
- Packaging: 15.2m lengths, individual cartons



#### **AB SERIES AIR BRAKE HOSE**

- Superior EPDM rubber resists damaging effects of ozone and heat, plus harmful grease and oil common to air brake systems
- Four spiral construction meets SAE J1402 specifications, Complies with DOT FMVSS 106 requirements
- Flexible and kink resistant
- Designed to accept all styles of air brake couplings, including conventional brass and plastic couplings
- Temperature rating: -40°C to +100°C

# **COOLING SYSTEM**



#### **HD THERMOSTATS**

- Weirstats\*
- Provides faster engine warm-up, stable temperature control, longer thermostat and seal life, improved fuel economy and driver comfort.
- Factory calibration ensures accurate heat control under extreme variations in temperature, load and engine vibrations



#### **MOULDED RADIATOR HOSE**

- OEM Quality
- Resists electrochemical degradation (ECD)



# HEAVY-DUTY SILICONE COOLANT HOSE

- Available in 150°C and Severe Service 200°C 3 ft. stick hose
- 45 deg. Elbows 7 sizes
- 90 deg. Elbows 5 sizes
- Premium 4-Ply construction

#### **HEAVY-DUTY WATER PUMPS**

- Complete HD program with over 85 SKUs
- New pumps no cores
- Warranty 18 months or 240,000 kilometers/ 5.400 hours
- 100% functional test of seals / bearings



#### POWERGRIP™ SB CLAMPS

- Maintenance-free clamps that never need
- Eliminates cold coolant leaks
- Works great on silicone hose



#### FLEETRUNNER™ HI-TEMP STRAIGHT **COOLANT HOSE**

- GO WITH GREEN the durable solution for
- extended use in heavy-duty trucks
  High temp rating (150°C) provides an
- alternative to silicone at a lower price

# **HYDRAULIC HOSE &**



# GATES MEGASYS™ MXT™

Braided high-tensile steel wire reinforcement Optional XtraTuff™ Plus cover – providing 25X

increased abrasion and 800+ hours of ozone

- resistance
- 40% more flexible 30% lighter

Available in sizes -4 to -16

Tested to 600,000 impulse cycles
Temperature range: -40°C to +100°C



#### GATES MEGASYS™ MXG™ 4K

- 280 bar (4.060 psi) working pressure
- Four layers of our patented Xpiral™ woven spiral technology with high-tensile steel wire
- 40% more flexible
- 30% lighter
- Comes standard with XtraTuff<sup>™</sup> Plus cover. providing 25X increased abrasion and 800+ hours of ozone resistance
- Tested to 1 million impulse cycles
- Temperature range: -40°C to +121°C Available in sizes -6 to -16



# GATES MEGASYS™ MXG™ 5K

- 350 bar (5.075 psi) working pressure
- Four layers of our patented Xpiral™ woven spiral technology with high-tensile steel wire reinforcement
- 25% more flexible
- 20% lighter
- Comes standard with XtraTuff™ Plus cover, providing 25X increased abrasion and 800+ hours of ozone resistance
- Tested to 1 million impulse cycles
- Temperature range: -40°C to +121°C
   Available in sizes -6 to -16



#### GATES GLOBALSPIRAL™ COUPLINGS

- "Bite-the-wire" crimp for improved
- coupling retention Over 30 thread configurations to maximise
- application coverage ■ Tested to industry leading 1,000,000
- impulse cycles at +121°C Available in sizes -4 to -16



#### GATES MEGACRIMP™ COUPLINGS

- Robust "bite-the-wire" crimp
- Low profile
- Full-stem insertion
- Full-length crimp ■ Tested to industry leading one million impulse
- Simplifies inventory managementEnvironmentally-friendly TuffCoat™ plating for 500% better corrosion resistance



**CONTACT YOUR BUSINESS DEVELOPMENT MANAGER FOR** MORE INFORMATION ON THE GATES HEAVY-DUTY RANGE:



**FIND YOUR GATES** PARTS HERE:



**FIND YOUR GATES DISTRIBUTOR HERE:** 



# **GATES AUSTRALIA PTY LTD**

1-15 Hydrive Close, Dandenong South, Victoria, 3175 PH: +61 3 9797 9666 FAX: +61 3 9797 9600

**GATESAUSTRALIA.COM.AU** FOLLOW US: GATESAUSTRALIA 🕴 in 🖸 💿







